



## MICROSHIELD® PVP Povidone-Iodine Surgical Handwash

### Active ingredient: 7.5% w/v Povidone-Iodine

MICROSHIELD® PVP POVIDONE-IODINE is used undiluted for antibacterial hand washing and surgical hand washing.

- Broad spectrum antimicrobial surgical hand wash
- Topical antiseptic solution
- With emollient and moisturiser

### Application areas

- For antibacterial hand washing and surgical hand washing.
- For pre-operative body washing and showering.

### Instructions for use

#### Use undiluted.

#### Antibacterial hand washing:

Deliver 3.5ml of solution onto wet hands. Wash for 30 seconds. Rinse thoroughly and dry.

#### Surgical hand washing:

Repeat above wash 2 minutes. Scrub. Rinse thoroughly and dry with a sterile towel.

#### Pre-operative body washing or showering:

Wet body. Deliver sufficient product to work up a lather. Wash as usual. Rinse and dry thoroughly.

### Product data

Contains Povidone-Iodine 7.5% equivalent to 0.75% w/v available iodine.

### Special advice

**Always read the label and use only as directed.**

- Contraindicated in cases of known iodine sensitivity.
- For external use only. Keep out of eyes and ears.
- If skin rash occurs, discontinue use immediately.
- Do not mix with detergents or other chemicals.
- Do not use after expiry date.

### Information for ordering

Item	Delivery form	Item no.
MICROSHIELD PVP Povidone-Iodine Surgical Handwash 500ml	12/Carton	70000370
MICROSHIELD PVP Povidone-Iodine Surgical Handwash 1.5L	6/Carton	70000371



## MICROSHIELD® 5 Chlorhexidine Concentrate

### Active ingredients: 5% w/v Chlorhexidine Gluconate.

MICROSHIELD® Chlorhexidine Concentrate when diluted can be used as a pre-and post-operative skin preparation.

- Topical antiseptic concentrate
- Available in 2 pack sizes

### Application areas

- Pre and post-operative skin preparation.
- Umbilical cord disinfection.

### Instructions for use

#### Concentrate must be diluted.

DILUTION: Add 100ml of product to 150ml of distilled water and make up to 1L with ethanol (96%).

#### For pre and post-operative skin preparation and for umbilical cord disinfection:

Dilute as above. Wet swab and apply to affected area for 2 minutes. Allow to dry.

**Antiseptic solutions should be freshly prepared and discarded after use.**

### Product data

Contains Chlorhexidine Gluconate 5% w/v (equivalent to Chlorhexidine 28.1g/L).

### Special advice

**Always read the label and use only as directed.**

- For external use only.
- Avoid contact with eyes. If in eyes, rinse well with water.
- Mild irritation may occur, stop use if it becomes severe.
- **Solutions are not for ophthalmic, bladder, peritoneal or surgeon's dip bowl usage. MICROSHIELD® 5 Chlorhexidine Concentrate must not come into contact with brain, meninges, middle ear or syringes and needles to be used for spinal injections.**
- Do not mix with detergents or other chemicals except ethanol as indicated.
- Do not use after the expiry date.

### Information for ordering

Item	Delivery form	Item no.
MICROSHIELD 5 Chlorhexidine Concentrate 500ml	12/Carton	70000369
MICROSHIELD 5 Chlorhexidine Concentrate 5L	2/Carton	70000349